

Material Handling & Industrial Storage Solutions



PLATFORMS

EXPECT MORE



STORAGE PRODUCTS GROUP
www.spgusa.com

SPG brings greater organization to your organization with material handling systems from Gillis-Jarke.

Today, more than ever, you need to maximize the value of every square inch of space in your facilities. To achieve this, you need material handling and storage solutions that are efficient, reliable, economical, durable, proven, and designed for maximum safety.

Gillis-Jarke, two of the most trusted brands in the business, offer you all of this and more. All brought to you by SPG, a world leader in material handling and storage solutions, engineering, and innovation.

The platforms you'll find in this catalog are only a small part of all that SPG offers. In fact, you'll find Gillis-Jarke products driving greater productivity and profitability in warehouses, factories, distribution centers, and backrooms throughout North America.

For more than half a century, businesses have turned to us for state-of-the-art storage and material handling systems. Today, this same high level of quality, durability, versatility, value, and unequalled service is available to you in the broadest product line on the market.

Working with you, SPG can help you maximize your storage space, protect your goods, manage inventory, enhance the flow of materials, increase accessibility, lower costs, and boost employee efficiency.

Beyond our standard products, SPG has the engineering expertise and manufacturing resources to create custom solutions to your operation's unique material handling and storage challenges.

Or, if you need equipment fast, be sure to look for our "QUICK SHIP" designation on select key products. These items can be shipped within 72 hours to help meet any emergency need.*

You can Expect More from SPG and our Gillis-Jarke line. More performance. More durability. More innovation. More quality. More economy. Everything you need to get more into and out of every square inch of your space. And it all begins with the best platforms for your facilities.

To order any product from this catalog, contact your Gillis-Jarke dealer today.

*Subject to inventory levels.



Step up to a higher level of quality, durability and value.

Greater profitability, efficiency, productivity, and safety are all within your reach when you put Gillis-Jarke platforms from SPG to work in your facilities. We offer you the platform options you need to handle the toughest jobs in the toughest work environments.

While the uses of our platforms may vary, each offers you superior stability, sturdiness, durability and versatility. Whether you use our platforms for maintenance work, inventory control, manufacturing, order picking, repair work or a wide variety of other applications, Gillis-Jarke has the solutions you need to improve the performance of your entire operation.

All of our work platforms help you eliminate the time-consuming need to set up ladders and scaffolds. But, that's only a beginning.

Here is just a preview of what our platforms offer:

- The Jarke forklift work platform offers you 1,000 lbs. capacity, a standard tool tray, and a slip-resistant, diamond tread surface
- Gillis forklift aerial platforms offer 1,000 lbs. capacity, side protection, a heavy-duty deck with a slip-resistant diamond plate, and essential options such as a tool tray and light bulb caddy
- The Gillis adjustable 1-step platform includes ergonomic matting that brings greater comfort — and productivity — to workers who are on their feet for long periods

Expect More...

Value and versatility. Quality and convenience. Innovative designs and durability. If you want to take productivity to a higher level in your facilities, choose Gillis-Jarke platforms from SPG.



Forklift Work Platform

The design of the Jarke work platform allows you to quickly and efficiently handle high reaching maintenance jobs without setting up ladders or scaffolds. Other uses include stocking inventory, lighting, and repair work.

- 1,000 lbs. capacity
- Constructed of 10-gauge steel and slip resistant, diamond tread surface
- Truck side of platform has protective screening to shield operator from hydraulic mechanism
- Tool tray standard with work platform
- Optional casters for easy mobility
- Equipped with 42" high square tube hand rails
- Retention chain or locking gate available
- Finished in high visibility yellow
- Work platform ships knocked down (KD)
- OSHA/ANSI compliant, CAL-OSHA option available



Forklift Work Platform with Gate

Model No.	Description	Capacity (Lbs.)	Platform W x D (In.)	Height (In.)	Wt. (Lbs.)
WP-3636C	Chain	1000	36 x 36	42	231
WP-3636G	Gate	1000	36 x 36	42	242
WP-3648C	Chain	1000	36 x 48	42	272
WP-3648G	Gate	1000	36 x 48	42	283
WP-36-RS	Riser Screen	—	36 x 24	—	12
WP-CASTER	Casters 4" Swivel	—	—	—	8
WP-TC	Tube Caddy	—	—	—	32

Adjustable 1-Step Platform

- Available with our G-Strut tread for wet or oily environments or with recessed ergonomic matting for comfort
- Easily adjust the threaded inserts for proper height
- Ergonomic matting is ideal for machine operators or anyone on their feet for long periods of time
- Adjustable from 5-8 inches or 9-14 inches



Optional Ergonomic Matting Model WSE1N23-5



Adjustable 1- Step Platform Model W1N23-9

5" - 8" Adjustable				9" - 14" Adjustable		
Base W x L (In.)	No Mat Model No.	With Mat Model No.	Wt. (Lbs.)	No Mat Model No.	With Mat Model No.	Wt. (Lbs.)
24 x 24	W1N22-5*	WSE1N22-5*	24	W1N22-9*	WSE1N22-9*	24
24 x 36	W1N23-5*	WSE1N23-5*	36	W1N23-9*	WSE1N23-9*	34
24 x 48	W1N24-5	WSE1N24-5	50	W1N24-9	WSE1N24-9	54
24 x 60	W1N25-5	WSE1N25-5	64	W1N25-9	WSE1N25-9	69
24 x 72	W1N26-5	WSE1N26-5	78	W1N26-9	WSE1N26-9	84
24 x 96	W1N28-5	WSE1N28-5	92	W1N28-9	WSE1N28-9	99

* Ships UPS with 70lb. minimum charge.

Forklift Aerial Platforms

- 1000 lb. capacity
- Deck is heavy duty 10 gauge diamond plate
- 4" high toe guards all sides
- Mast chain included
- OSHA / ANSI compliant, CAL-OSHA option available
- Side protection
 - > 42" high guard rails — 2 sides
 - > Truss side is expanded metal
 - > Entry side is either double chain or latching swing gate



Double Safety Chain Type
FWP36S shown with casters



Model FWP36S shown with
light bulb caddy

Model No.	Platform W x D (In.)	Forklift Pockets (In.)	Inner Dim. Between Forklift Pockets	Overall Height (In.)	Wt. (Lbs.)	Gate Type
All Welded (Set-Up) - Without Casters						
FWP36S	36 x 36	2 1/2 x 8	16 1/2	65	143	Swing
FWP43S	42 x 36	2 1/2 x 8	18	65	155	Chain
Knocked Down(KD) - Without Casters						
FWP34†	36 x 48	2 1/2 x 8	16 1/2	65	186	Swing
FWP44†	48 x 40	2 1/2 x 8	20 1/2	45	197	Chain

†Quick Ship: Ships within 72 hours



Platform Accessories

Description	FWP36S	FWP43S	FWP34	FWP44	Wt. (Lbs.)
Casters	CSFWP	CSFWP	CSFWP	CSFWP	7
Tool Tray	TT34/36	TT43	TT34/36	TT44	9
24" Screen Riser	—	—	R34	R44	16
Light Bulb Caddy	LBC	LBC	LBC	LBC	15



Casters



24" Screen Riser



Tool Tray



Light Bulb Caddy

Warranty & Product Suitability

Statement

SPG has made a continuous commitment to quality and service. The content of this catalog reflects the years of experience we have in storage technology. All products shown have practical application potential that will increase your storage and handling of virtually any product.

If none of our standard racks or material handling equipment will solve your unique problem, SPG engineers will study your needs and design a variation to these standards or special equipment to meet your specific requirements. The system we recommend will minimize handling and promote flow through your facility. Behind all the factors considered in design and testing, we have but one simple goal: to make products for people and products pursuant to guidelines established by ANSI (American National Standard Institute), UBC (Uniform Building Code) and RMI (Rack Manufacturers Institute).

Product Suitability

Many states and localities have individual codes and regulations governing sales, construction, installation, and/or use of products for certain purposes, which may vary from those in neighboring areas. SPG cannot guarantee compliance, and can not be responsible for how the product is installed or used. Before purchase and use of a product, please review the product application, and the national and local codes and regulations. Be sure that the product, installation and use will comply with them.

Warranty / Limited Liability

SPG products are fully warranted for one year against defects in design, material and workmanship under normal use except for collision, overloading or improper installation. All products must be installed in accordance with written instructions provided by SPG. Your exclusive remedy and our only liability arising out of any sale shall be the replacement or repair of the goods or refund of the purchase price paid by the buyer, whichever such remedy we select. Any replacement, repair or return must have written authorization before any action is taken. If we elect to repay the purchase price, a written authorization will be issued and the goods must be returned immediately. Any exception to this policy must be agreed to in writing by an officer of SPG.

Terms & Conditions

Terms & Credit

NET 30 days. All prices are F.O.B. Factory. All purchases are subject to a credit review. Credit review may delay production and/or shipping schedules.

Freight and Routing

All shipments are F.O.B. factory. When a carrier has not been specified, we will route shipment in the best way. With prepaid third party shipments, the third party's discount will apply. Customer pick-ups must be made within three days of notification of completion.

Returns

It is the responsibility of the consignee or his representative to check shipments against the bill of lading or packing list. If damaged or short, indicate on the delivery receipt the extent of the shortage or damage. A claim for damage or shortage cannot be processed if the delivery receipt is signed without exception. Stock product can be returned within 30 days when authorized in writing by SPG and return freight charges are prepaid. There will be a 25% restocking charge. Made-to order and used products cannot be returned.

Cancellation

SPG reserves the right to apply reasonable charges for material and labor performed prior to the cancellation of any order. A formal acknowledgement of these charges will be sent by SPG after notice of cancellation is received.

Minimum Order Quantity

Stock items can be ordered in any quantity, \$25 minimum. Orders for made-to-order items in quantities less than the minimum quantity shown in this price list will be subject to an additional set-up charge based on type of equipment. Call factory for setup charges.

Delivery

Stock items can usually be shipped within 2 weeks. Delivery of made-to-order and non-stock items will be scheduled based on receipt of order and/or approved drawings, when applicable.

EXPECT MORE



STORAGE PRODUCTS GROUP

SPG International, LLC
11230 Harland Drive NE
Covington, GA 30014
877-503-4SPG (4774)

Gillis/Jarke Manufacturing
800-225-5424

www.spgusa.com